

WEST Search History

[Hide Items](#)
[Restore](#)
[Clear](#)
[Cancel](#)

DATE: Friday, January 21, 2005

Hide?	Set Name	Query	Hit Count
		<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ</i>	
<input type="checkbox"/>	L11	L10 and search\$	92
<input type="checkbox"/>	L10	L6 and l3	105
		<i>DB=EPAB,DWPI,TDBD; PLUR=YES; OP=ADJ</i>	
<input type="checkbox"/>	L9	L8	11
		<i>DB=EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ</i>	
<input type="checkbox"/>	L8	L5	32
<input type="checkbox"/>	L7	L6	0
		<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ</i>	
<input type="checkbox"/>	L6	L5 and (hierarch\$ and tree)	756
<input type="checkbox"/>	L5	L4 and (calculat\$ near2 value)	8988
<input type="checkbox"/>	L4	expression and operator	52753
		<i>DB=PGPB,USPT,USOC; PLUR=YES; OP=ADJ</i>	
<input type="checkbox"/>	L3	L2 or 345/169,172,643-645.ccls.	15286
<input type="checkbox"/>	L2	L1 or 707/3-6,100-102.ccls.	14250
<input type="checkbox"/>	L1	717/101-123.ccls.	2520

END OF SEARCH HISTORY

[Web](#)
[Images](#)
[Directory](#)
[Local](#)
[NEW!](#)
[News](#)
[Products](#)

YAHOO! SEARCH

[Shortcuts](#)
[Advanced Search](#)
[Preferences](#)

Search Results
 Results **21 - 30** of about **7,810** for **expression search operator hierarchy calculating**

[ection 3.3](#)

order to change the proc **hierarchy search**. If \$SYSLIB is set ... An **expression** is a rule for **calculating a value**. The terms in ...

www.essc.psu.edu/lastop/run/las/doc/tae/programmer/tclp_3_3.html - [More from this site](#)

[E Using JavaScript - Table of Contents](#)

pecial Edition Using JavaScript teaches you JavaScript whether you're a beginning scripter or an experienced co
 uick Look at the Arithmetic Operators. Using the Addition (+) **Operator** ... JavaScript Object **Hierarchy** ... **Calcul**
www.mcfedries.com/UsingJavascript/toc.asp - 42k - [Cached](#) - [More from this site](#)

[CHAPTER 5](#)

rocedures. A procedure in SETL is a sequence of computational steps which have been given a name and which
 mpute and deliver a **value**. ... computation has finished **calculating the value** which it is ... The **expression e o**
perator " > " defines the desired ordering ...

www.settheory.com:16080/Chapters/Chapter_5_procedures.html - 350k - [Cached](#) - [More from this site](#)

[ssbase List of Functions](#)

Calculation Operators. **Calculating #MISSING** Values. Types of ... the absolute **value of expression**. The absce
 ey calculate a ...

www-306.ibm.com/software/data/db2/.../fp8/techref/trcmds/funclist.htm - 416k - [Cached](#) - [More from this site](#)

[Usage Statistics for www.python.org - March 2002 - Search String](#)

sage Statistics for www.python.org. Summary Period: March 2002 - **Search String**. Generated 07-Apr-2002 10:0
 nvert 7 0.01% base64-encoded 7 0.01% binary to ascii translation 7 0.01% bisection 7 0.01% bitwise **operator** ...
www.etsimo.uniovi.es/python/wwwstats/search_200203.html - 524k - [Cached](#) - [More from this site](#)

[qrxm](#)

interpreted as a python **expression**, (in particular, if the name ... symbol. </ abstract> </value> <value name="...
 ate ...

av.zope.org/Members/Members/ZQR/zqr/source - 305k - [Cached](#) - [More from this site](#)

[racle8 Details Training for certification](#)

racle Training on Interactive CD-ROM and Videos Certification Training ... Write a combined **expression** by usin
 sing the INITCAP ... • Specify additional **search** conditions in an equijoin by ...

www.e-trainonline.com/html/oracle8_details.html - 114k - [Cached](#) - [More from this site](#)

[AOnline: Search Job Skills Results](#)

mployment for job seekers (military servicemembers, retirees, veterans, DoD employees, spouses and depend
 nline (TAO). ... BLINDSTITCH-MACHINE **OPERATOR**. Operates blindstitch sewing machine ... **VALUE ENGINE**
www.taonline.com/jobsaurus/searchskills.asp - 540k - [Cached](#) - [More from this site](#)

[iNU Smalltalk Class Reference](#)

NU Smalltalk Class Reference. GNU Smalltalk Documentation. Class Heirarchy. Object. Behavior. ClassDescrip
 alue in the dictionary ... the **hierarchy**. Each key in the dictionary is a class which defines the method, and each v
 andbox.mc.edu/~bennet/cs404/doc/gst_doc/classes.html - 525k - [Cached](#) - [More from this site](#)

http://www.banki.hu:8080/_banki/500_hallgato/002-adatb/06-interbase_sql.rtf

contains a number of INSERT statements to add data \par to the database.

ww.banki.hu:8080/_banki/500_hallgato/002-adatb/06-interbase_sql.rtf - 186k - [Cached](#) - [More from this site](#)

Results Page:

[Prev](#) ◀ 1 2 3 4 5 6 7 8 9 10 ▶ [Next](#)

[Web](#) | [Images](#) | [Directory](#) | [Local](#) ^{NEW!} | [News](#) | [Products](#)

Your Search:

Help us improve your search experience. [Send us feedback](#).

Copyright © 2005 Yahoo! Inc. All rights reserved. [Privacy Policy](#) - [Terms of Service](#) - [Submit Your Site](#) - [Job Openings](#)

Searching for **expression and search and operator and value**.

Restrict to: [Header](#) [Title](#) Order by: [Expected citations](#) [Hubs](#) [Usage](#) [Date](#) Try: [Google \(CiteSeer\)](#)
[Google \(Web\)](#) [Yahoo!](#) [MSN](#) [CSB](#) [DBLP](#)

163 documents found. Order: number of citations.

Multiobjective Optimization Using the Niche Pareto Genetic.. - Horn, Nafpliotis (1993) (Correct) (70 citations)
 Specifically, de Neufville (1990) defines the **expression** for a utility function U of n attributes: function, and does not address the difficulty of **searching** large problem spaces. Genetic algorithms the concept of Pareto domination in its selection **operator**, and applying a niching pressure to spread its
gal4.ge.uiuc.edu/pub/papers/illiGALs/93005.ps.Z

One or more of the query terms is very common - only partial results have been returned. Try [Google \(CiteSeer\)](#).

The Representation and Recognition of Action Using Temporal.. - Davis, Bobick (1997) (Correct) (56 citations)
 the action as someone sitting. work on facial **expression** recognition [2] In this work we continue to (in time) algorithm which can dynamically **search** over a range of In Figure 3 we display the their MHIs used in a real-time system. and decay **operator**: $H \times y \ t) \text{ if } D(x \ y \ t) \ 1 \ \max \ (0$
whitechapel.media.mit.edu/pub/tech-reports/TR-402.ps.Z

A Genetic Algorithm for the Set Covering Problem - Beasley, Chu (1996) (Correct) (37 citations)
 31] assembly line balancing [25] and boolean **expression** simplification [13] A number of optimal and optimal solution algorithms are based on tree-**search** procedures. Among the heuristic methods, including a new fitness-based crossover **operator** (fusion) a variable mutation rate and a
www.dai.ed.ac.uk/groups/evalg/Local_Copies_of_Papers/Beasley.Chu.A_Genetic_Algorithm_for_the_Set_Coverin

The Gene Expression Messy Genetic Algorithm - Kargupta (1996) (Correct) (35 citations)
 The Gene **Expression** Messy Genetic Algorithm Hillol Kargupta
 new generation of messy GAs that directly **search** for relations among the members of the **search** gene **expression**. The GEMGA uses the transcription **operator** to **search** for relations. This paper also
www.xdiv.lanl.gov/XCM/research/adaptcom/members/hillol/pubsrc/gm.ps

AuRA: Principles and Practice in Review - Arkin, Balch (1997) (Correct) (32 citations)
 that traverses a finite state acceptor (FSA) **expression** of a plan [37] Each state of the FSA of AuRA, this planner used the A* algorithm to **search** over a meadow map (hybrid free space/vertex the Mission Planner is reinvoked, informing the **operator** of the difficulty and asking for reformulation
ftp.cc.gatech.edu/pub/people/arkin/web-papers/jetai-final.ps.Z

Computing Functions with Parallel Queries to NP - Jenner, Torán (1993) (Correct) (31 citations)
 For simplicity all through this article the **expression** " $\log n$ " denotes $\text{dlog } 2 \ n$ and " $a \ b$ " denotes in some sense equivalent to optP [26] and contains **search** versions of all the natural problems in NP. The in polynomial time. ffl One can define an **operator** on the set of possible output **values** (or
theorie.informatik.uni-ulm.de/Personen/Toran/tcs.ps

Rapid Bushy Join-order Optimization with Cartesian Products - Bennet Vance (1996) (Correct) (30 citations)
 of multiway Cartesian products (i.e. **expressions** of the form $A \setminus \Theta B \setminus \Theta C \setminus \Theta D$) is Abstract Query optimizers often limit the **search** space for join orderings, for example by $C \setminus \Theta D$. Assume that only a dyadic $\setminus \Theta$ **operator** is available. Before proceeding, we need a cost
www.cse.ogi.edu/DISC/projects/ereq/papers/join.ps

OPUS: An Efficient Admissible Algorithm for Unordered Search - Webb (1995) (Correct) (29 citations)
 when **searching** through a space of logical **expressions**, the effect of conjoining **expression** A with An E#cient Admissible Algorithm for Unordered Search Geo#rey I. Webb webb@deakin.edu.au Deakin
www3.cm.deakin.edu.au/~webb/Papers/OPUS4.ps.Z

The Troubling Aspects of a Building Block Hypothesis for.. - O'Reilly, Oppacher (1992) (Correct) (28 citations)

specified trees. A schema is a set of LISP S-expressions (i.e. a set of rooted, point-labeled trees Building Block Hypothesis (BBH) that GP searches by hierarchically combining building blocks. We which applies the basic evolution-based genetic operators and both act as a "shell" which accepts www.ai.mit.edu/people/unamay/papers/foga.ps

A Probabilistic Relational Algebra for the Integration of.. - Fuhr, Rölleke (1994) (Correct) (26 citations)
the tuple weights of the result of a PRA expression always confirm to the underlying probabilistic probabilistic document indexing and probabilistic search term weighting can be modelled. As an important value between 0 and 1. By redefining the basic operators of relational algebra in order to cope with the amaunet.informatik.uni-dortmund.de/ir/doc/reports/94/Fuhr-Roelleke-94.ps.gz

Principal Direction Divisive Partitioning - Boley (1997) (Correct) (23 citations)
(SVD) of an $n \times m$ matrix A is defined by the expression $A = U \Sigma V^T$ where $U \Sigma V$ are, classify documents retrieved. 2. Generate new WWW searches using classes discovered in step 1 or 3. 3. document titles. They also proposed a "join" operator on clusters that could be used to automate the ftp.cs.umn.edu/dept/users/boley/reports/PDDP.ps.gz

Using Regression-Match Graphs to Control Search in Planning - McDermott (1999) (Correct) (23 citations)
f) The value f changes to the value of expression e . I will explain exactly what this means in Using Regression-Match Graphs to Control Search in Planning Drew McDermott January 11, 1999 ftp.cs.yale.edu/pub/mcdermott/papers/unpop-aij.ps.gz

Explanation-Based Learning and Reinforcement Learning: A.. - Dietterich, Flann (1995) (Correct) (17 citations)
up symbolic integration. A state in LEX2 is an expression, such as $R \times 2 \times dx$. The goal is to Consider a problem solver that conducts state-space search: beginning at a start state, it tries to find a problems, where full descriptions of operators are always known, both explanation-based ftp.cs.orst.edu/pub/tgd/papers/ml95-ebri.ps.gz

DUEL - A Very High-Level Debugging Language - Golan, Hanson (1993) (Correct) (17 citations)
ABSTRACT Most source-level debuggers accept expressions in the source language, e.g. C, and can print issues [3] The overall "goal" of debugging is to search the program state for inconsistencies that expressions can return a sequence of values. Operators permit these sequences to be manipulated in swt-www.informatik.uni-hamburg.de/~friedri/sv/references/DUEL.ps.gz

Type Inheritance in Strongly Typed Genetic Programming - Haynes, Schoenefeld.. (1996) (Correct) (16 citations)
be honored by all operations on the S-expressions. In order to allow for a minimal function set, better programs. An extension restricting the search space is Strongly Typed Genetic Programming and produced by the crossover and mutation operators. Montana types both the function return value euler.mcs.utulsa.edu/~haynes/hier.ps

Dealing with Discrepancies in Wrapper Functionality - Kapitskaia, Tomasic, Valduriez (1997) (Correct) (14 citations)
For example, a mediator may generate a logical expression for a wrapper to project the name attribute 1 Introduction The Disco (Distributed Information Search COmponents) project [TRV96] is developing level of an abstract algebraic machine of logical operators [Gra93] When the DBI implements a new wrapper, ftp.inria.fr/INRIA/publication/RR/RR-3138.ps.gz

Query Evaluation in CROQUE - Calculus and Algebra.. - Grust, Kröger, Gluche, .. (1997) (Correct) (14 citations)
fit into this scenario. The initial algebraic expression is rewritten so that large subtrees of the of an optimizer rewrite rule base as well as its search space in tractable bounds. In [5] Daniel Chan some of these calls implement certain algebra operators within the storage subsystem itself. Among them ftp.fmi.uni-konstanz.de/pub/dbis/Publications/GKGHS:BNCOD97.ps.gz

Syntactic Detection of Single-Threading using Continuations - Fradet (1991) (Correct) (13 citations)
of continuations. One advantage of continuation expressions is that evaluation ordering is made explicit ftp.irisa.fr/local/lande/pf-fpca91.ps.Z

Constraining the Structure and Style of Object-Oriented Programs - Meyers, Duby (1993) (Correct) (13 citations)

language, CCEL (Cecil"the CConstraint **Expression** Language -a language for use with Cthat
That fact makes it untenable for Ccompilers to **search** for constraint violations. Our approach to this
member, it must also declare an assignment **operator** and a copy constructor. This is an example of
<ftp.cs.brown.edu/pub/ppcp93/meyers.ps.Z>

Screamer: A Portable Efficient Implementation of.. - Siskind, McAllester (1993) (Correct) (11 citations)
can be viewed as introducing a choice-point. The **expression** either e 1 e 2 :e n)first evaluates e
Nondeterminism allows concise description of many **search** tasks which form the basis of much AI research.
addition of two new constructs: a choice point **operator** and a failure **operator**. We have done precisely
www.mit.edu/afs/sipb.mit.edu/project/clisp/source/screamer/aaai93a.ps

First 20 documents [Next 20](#)

Try your query at: [Google \(CiteSeer\)](#) [Google \(Web\)](#) [Yahoo!](#) [MSN](#) [CSB](#) [DBLP](#)

CiteSeer.IST - Copyright [Penn State](#) and [NEC](#)



[Web](#) [Images](#) [Groups](#) ^{New!} [News](#) [Froogle](#) [more »](#)

expression search operator hierarchy calculati

[Search](#)

[Advanced Search](#)
[Preferences](#)

Web Results 1 - 10 of about 75,400 for **expression search operator hierarchy calculating value**. (0.44 secor

Query Operators

... If base-letter conversion is enabled for a text column and the query **expression** contains a fuzzy **operator** ... Use the MINUS **operator** to **search** for documents that ...
www.csee.umbc.edu/help/oracle8/inter.815/a67843/cqoper.htm - 101k - [Cached](#) - [Similar pages](#)

The Code Project - Runtime Compiled Symbolic Expressions - C# ...

... method and it's fast because the **expressions** are JIT ... Relational and logical **operators**: < > != && ... level Very High, **Search** comments, ...
www.codeproject.com/csharp/compiledsymexpr.asp - 40k - [Cached](#) - [Similar pages](#)

Understanding Query Expressions

... can be used in conjunction with all the other query **expression operators** and special ...
In a broader term query, the specified **operator** only **searches** up the ...
www-rohan.sdsu.edu/doc/oracle/context206/A54630_01/ch03.htm - 101k - [Cached](#) - [Similar pages](#)

Fundamental Programming Structures in Java

... **Search** electronic versions of over 1500 technical books: ... **value** to a number, you can use a conditional **expression** such as b ... Parentheses and **Operator Hierarchy**. ...
www.phptr.com/articles/article.asp?p=101766&seqNum=6 - 41k - [Cached](#) - [Similar pages](#)

[PDF] Microsoft PowerPoint - RecStruct.ppt

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... v): // returns where root of **expression** is drawn ... 8), **Operator**.MULT, new Leaf(2)), **Operator**.MINUS, new ... Problem Specific ConsListVisitor: Linear **Search** public class ...
www.daimi.au.dk/~gudmund/dprog2_2003/RecStruct_6.pdf - [Similar pages](#)

[PDF] Microsoft PowerPoint - RecStruct.ppt

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... return (x,y) draw(v): // returns where root of **expression** is drawn if v is a leaf: ...
new Leaf(2)), **Operator**.MINUS, new Leaf(1)); Page 28. ... Linear **Search** ...
www.daimi.au.dk/~gudmund/dprog2_2003/RecStruct.pdf - [Similar pages](#)

[[More results from www.daimi.au.dk](#)]

Add On SW

... PScript does not assume any **hierarchy** among mathematical ... Numerical **expressions** use +, -, * and / **operators**. The **value** of a numerical **expression** can be any ...
www.guided-wave.com/add_on_sw.htm - 21k - [Cached](#) - [Similar pages](#)

LPI - C » Newbie » 001 - cNewbie - Overview of "C"

... **Search** all Contributions. ... **operators** having same priority, **operator** that comes first in the **expression** is given ...
www.liquidpulse.net/articles/c/newbie/001cnewbieoverviewofc - 31k - [Cached](#) - [Similar pages](#)

CHAPTER 3. Understanding Query Expressions

... be used in conjunction with all the other query **expression operators** and special ...
During a broader term query, the specified **operator** only **searches** up the ...
dbserv.npi.msu.su/DOC/server/doc/CO20APP/ch03.htm - 70k - [Cached](#) - [Similar pages](#)

... Microsoft® SQL Server™ 2000course listings, **search** the FindCourse ... IIF and IsEmpty functions and logical **operators**. ... Compare MDX statements with **expressions**. ... www.kocbryce.com.tr/icerik/68.htm - 12k - **Cached** - Similar pages

Result Page: **1** **2** **3** **4** **5** **6** **7** **8** **9** **10** **Next**

expression search operator hierarch Search

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

<http://www.google.com/search?hl=en&q=expression+search+operator+hierarchy+c...> 1/21/05



Welcome
United States Patent and Trademark Office


[Help](#) [FAQ](#) [Terms](#) [IEEE Peer Review](#)
[Quick Links](#)

Welcome to IEEE Xplore®

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced
- ☐ CrossRef

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

IEEE Enterprise

- ☐ Access the IEEE Enterprise File Cabinet

 [Print Format](#)

Your search matched **4** of **1117580** documents.

A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance Descending** order.

Refine This Search:

You may refine your search by editing the current search expression or entering new one in the text box.

☐ Check to search within this result set

Results Key:

JNL = Journal or Magazine **CNF** = Conference **STD** = Standard

1 Evolving computer programs without subtree crossover

Chellapilla, K.;

Evolutionary Computation, IEEE Transactions on , Volume: 1 , Issue: 3 , Sept. 1997

Pages:209 - 216

[\[Abstract\]](#) [\[PDF Full-Text \(208 KB\)\]](#) **IEEE JNL**

2 Extended genetic programming using reinforcement learning operat

Niimi, A.; Tazaki, E.;

Systems, Man, and Cybernetics, 1999. IEEE SMC '99 Conference Proceedings. IEEE International Conference on , Volume: 5 , 12-15 Oct. 1999

Pages:596 - 600 vol.5

[\[Abstract\]](#) [\[PDF Full-Text \(332 KB\)\]](#) **IEEE CNF**

3 Proceedings of 2002 International Conference on Machine Learning Cybernetics (Cat.No.02EX583)

Machine Learning and Cybernetics, 2002. Proceedings. 2002 International Conference on , Volume: 2 , 4-5 Nov. 2002

[\[Abstract\]](#) [\[PDF Full-Text \(1409 KB\)\]](#) **IEEE CNF**

4 Anticipatory optimization in domain specific translation

Biggerstaff, T.J.;

Software Reuse, 1998. Proceedings. Fifth International Conference on , 2-5 Ju 1998

Pages:124 - 133

[\[Abstract\]](#) [\[PDF Full-Text \(280 KB\)\]](#) **IEEE CNF**

[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#) | [Join IEEE](#) | [Web Account](#) |
[New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#) | [No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2004 IEEE — All rights reserved